ROOFER KIT

Ref. 71620

TECHNICAL SHEET

Supplied in a bag

71035

71353

71110 x 2

71231

APPLICATION

- Work on roofs
- Work on inclined or horizontal surfaces

PACKING

- **Individuel**
- **Carton de trois kits**

STANDARDS

361:2002
353-2:2002

CE

EN795:B
362: 2004

FULL BODY HARNESS
Ref. 71035

Gencode :
3435241 710352





GENERAL DESCRIPTION AND MATERIALS

- **Webbing : 100% polyester, width 44 mm** (+/- 1mm)
- Colors: top: red with 2 green stripes Thigh: blue with 2 green stripes
- Attachment elements : **1 dorsal steel D-ring and 2 front textile loops**
- **Buckles : Steel parachute buckles** on leg straps
- **Tighten the leg straps by pulling the free ends of the straps**
- **Chest attachment :** 25mm **wide black polyester strap** with a black plastic clasp
- Thread : High-tenacity polyamide
- Universal size
- Weight : **675 g** (+/- 10%)
- Finishing of metal components: electro deposited nickel/chrome. Deburred and polished

SPECIFIC FEATURES

- **Chest attachment** with plastic buckle
- Sit strap
- **Quick size adjustment**
- **Lightness**
- **2 attachment elements: front and back** (chest (textile) and dorsal (D-ring))

STANDARD

This harness is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate 1479 Issue 9 Extension 2

Delivered by **SATRA (notified body n° 0321)**

CE **EN 361:2002**

GUIDED TYPE FALL ARRESTOR ON 10M ROPE

Ref. 71353



Figure -1)

Gencode :

3435241 713537

Ref.	Rope lengtgh	Weigth
71353	10 metres	1300 g (+/- 10g)

GENERAL DESCRIPTION AND MATERIALS

- **Guided type fall arrestor with braided rope + energy absorber**
- **Non detachable**
- **One manufactured end on the rope**
- **Rope diameter 12 mm**
- **Static strength > 15KN**
- **1 connector 71110**
- **Braided rope with stopknot**
- **1 loop covered with polyethylene protective sleeve + 1 black plastic-coated** loop on the energy absorber

SPECIFIC FEATURES

- **Easy handling of the rope grab**
- **Energy absorber on the rope grab**

STANDARD

This fall arrestor is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate 4017 Issue 1 Extension 1

Delivered by **SATRA (notified body n° 0321)**

CE

EN 353-2:2002

WEBBING ANCHOR STRAP 1,8M

Ref. 71232



3435241 712318

GENERAL DESCRIPTION AND MATERIALS

- **red weaved polyester webbing**
- Width : **30 mm**
- **Length : 1.8m**
- **Static strength: > 22KN**
- **Rope ends stitched**
- **2 textile loops**
- Weight : **145 g** (+/-10%)
- Breaking strength minimum : 30KN

SPECIFIC ADVANTAGES

- **2 reinforced loops with stitching**

STANDARD

This rope is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate 4305 Issue 1 Extension 1

Delivered by **SATRA (notified body n° 0321)**

CE **EN 354:2002**

STEEL SCREW LOCK KARABINER

Ref. 71110

CE 0120





Gencode :
3435241 711106

Tested as per EN 362 : 2004

GENERAL DESCRIPTION AND MATERIALS

- Material : **steel**
- Screw locking system
- Finishing : zinc plated for better finish and corrosion protection
- Strength: **> 20KN**
- Size : **107.0 x 56.5 mm**
- **Max. opening : 18.0 mm**
- Weight : 160 g (+/- 10%)

STANDARD

This connector is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate 1503 Issue 5 Extension 1

Delivered by **SATRA (notified body n° 0321)**

CE **EN 362:2004**